

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-30-46  
Relating to Certification of New Motor Vehicles

AUDI NSU AUTO UNION AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1985 model-year Audi NSU Auto Union AG exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
FAD2.2V6FFZX	131 (2.2)	Three-way Catalyst with Closed Loop (Mechanical Fuel Injection) (Turbocharger) (Intercooler)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the certification emission standards for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.41	7.0	0.7

The following are the certification emission values for the above engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.28	2.8	0.3

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036) and Health and Safety Code Section 43204, provided, however, that jurisdiction is hereby reserved to modify these provisions to the extent made necessary by an EPA waiver decision, in order to assure that the listed vehicles comply with the minimum federal requirements applicable in California.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 14<sup>th</sup> day of September, 1984.



K. D. Drachand, Chief  
Mobile Source Division

## 1985 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Audi Executive Order No. A-30-46  
 Engine Family FAD 2.2 V6FFZX Evaporative Family ADBN  
 Engine CID (Liters) 131 (2.14)

## ABBREVIATIONS

Ignition System

CA-Centrifugal Advance  
 EEC-Electronic Engine Control  
 EI-Electronic Ignition  
 EEC-Electronic Spark Advance  
 Control  
 VA-Vacuum Advance  
 VR-Vacuum Retard

Fuel System

CFI, I, DID, DIP, EFI, MFI  
 V-Venturi Carburetor  
 V-Variable Venturi

Exhaust Emissions Control System

AIP-Air Injection-Pump  
 AIV-Air Injection-Valve  
 CL-Closed Loop  
 EGR-Exhaust Gas Recirculation  
 EM-Engine Modification  
 OC-Oxidation Catalyst System  
 TOC-Trap Oxidizer Continual  
 TOP-Trap Oxidizer Periodical  
 TR-Thermal Reactor  
 TWC-Three-Way Catalyst System

Special Features

CCV-Combustion  
 Chamber Valve  
 CFI-Central Fuel  
 Injection  
 DID-Diesel  
 Injection-  
 Direct  
 DIP-Diesel  
 Injection-  
 Prechamber  
 EFI-Electronic  
 Fuel  
 Injection  
 IC - Intercooler  
 MFI-Mechanical  
 Fuel  
 Injection  
 TC-Turbocharged

VEHICLE MODELS:

quattro

DRIVE SYSTEM: Front Engine/ 4 -Wheel Drive

1985 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. #A-30-46

X Passenger Cars \_\_\_ Light-Duty Trucks \_\_\_ Medium-Duty Vehicles X Gas \_\_\_ Diesel

Manufacturer Audi Page 2

Engine Family FAD 2.2 V6FFZX Engine Code QZ2

ECS (Special Features) TWC-CL(MFI, TC, IC) CID (Liter)- Type 131 (2.2) L4

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System Part No.	Fuel System Part No.	EGR Valve Part No.	Label Ident. Part No.
QZ2	quattro	M 5	3375	EEC 035 905 383 F	MFI 035 133 353 AD  TC 035 145 703 E	N/A	TUL 857 000 331 N  VHRD 035 000 363 BQ

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

\*Add 10% to dyno test HP for air conditioning usage.

Date of Issue -

*Audi*  
1985 ETW/RLHP TEST CONDITIONS

MODEL	TRANS- MISSION	EQUIVALENT TEST WEIGHT	DYNO POWER ADJUSTMENT
<u>4000S</u> 1.8L Fuel injection	M5	2625	7.9
	A3	2750	7.9
<u>4000S quattro</u> 2.22L Fuel injection	M5	3125	9.9
<u>Coupe GT</u> 2.22L Fuel injection	M5	2750	7.6
	A3	2875	7.6
<u>5000S</u> 2.22L Fuel injection	M5	3250	7.0
	A3	3250	7.0
<u>5000S Wagon</u> 2.22L Fuel injection	M5	3375	7.0
	A3	3375	7.0
<u>5000S Turbo</u> 2.14L Fuel injection	A3	3375	7.0
<u>quattro</u> 2.14L Turbo F.I.	M5	3375	9.9

R. E. Thomas  
Emission Liaison Office

10-29-84

Rev.01-03-85

Rev.02-25-85